All India Institute of Speech and Hearing

Notations :

- 1.Options shown in green color and with \checkmark icon are correct.
- 2.Options shown in red color and with * icon are incorrect.

Question Paper Name :	M Sc SLP 5th Oct 2020 Shift1
Subject Name :	M.Sc - SLP
Creation Date :	2020-10-05 12:36:36
Duration :	100
Number of Questions :	100
Total Marks :	100
Display Marks:	No
Calculator :	None
Magnifying Glass Required? :	No
Ruler Required? :	No
Eraser Required? :	No
Scratch Pad Required? :	No
Rough Sketch/Notepad Required? :	No
Protractor Required? :	No
Show Watermark on Console? :	Yes
Highlighter :	No
Auto Save on Console? :	Yes

M.Sc - SLP

Group Number :	1
Group Id:	23079619
https://exams.freshersnow.com/category/	entrance-exam-question-papers/

0
100
No
No
0
100
No

M.Sc - SLP

Section Id :	23079639
Section Number :	1
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	100
Number of Questions to be attempted :	100
Section Marks :	100
Mark As Answered Required? :	Yes
Sub-Section Number :	1
Sub-Section Id :	23079639
Question Shuffling Allowed :	Yes

Question Number : 1 Question Id : 2307962301 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Identify the correct sequence of sub stages of meiotic prophase I for the chromosomes

Options :

- 1. 🎽 Leptonema Diplonema Pachynema Diakinesis Zygonema
- 2. ***** Zygonema Leptonema Pachynema Diplonema Diakinesis
- 3. * Leptonema Pachynema Zygonema Diplonema Diakinesis https://exams.freshersnow.com/category/entrance-exam-question-papers/

Question Number : 2 Question Id : 2307962302 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A genotype consisting of two identical alleles of a gene of a particular character is said to be:

Options :

- 1. * Heterozygote
- 2. 🏽 Dominant
- 3. ***** Co-dominant
- 4. ✓ Homozygote

Question Number : 3 Question Id : 2307962303 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

An object travelling at 0.1 second interval appears to move 7.5 cm. Determine its speed.

Options :

- 1. * 0.75mm/s
- 2. 🗸 0.75cm/s
- 3. **#** 75cm/s
- 4. ***** 75mm/s

Question Number : 4 Question Id : 2307962304 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

If room dimensions are given in feet, what is the formula for reverberation time?

Options :

 $RT=0.041\frac{V}{A}$

1. 🕷

RT=
$$0.061\frac{V}{A}$$

2. *
RT= $0.049\frac{V}{A}$

 $RT=0.040\frac{v}{A}$

4. 🕷

2.

Question Number : 5 Question Id : 2307962305 Question Type : MCQ Option Shuffling : No Is **Question Mandatory : No**

Correct Marks : 1 Wrong Marks : 0.25

In normal acquisition schedule, what would be the order of regular appearance of the following English inflections: -ed; -ing; -'s (possessive); -s (plural)?

Options:

- 1. * -ing; -ed; -'s (possessive); -s (plural).
- 2. * -ed; -ing; -'s (possessive); -s (plural).
- 3. * -ed; -ing; -s (plural); -'s (possessive)
- 4. ✓ –ing; -s (plural); -'s (possessive); -ed

Question Number : 6 Question Id : 2307962306 Question Type : MCQ Option Shuffling : No Is **Question Mandatory : No**

Correct Marks : 1 Wrong Marks : 0.25

The set of affixes / morphemes that are used to show if a word is singular / plural, past / present tense and if it is a comparative or possessive form is called as

Options:

- 1. * Derivational morpheme
- 2. ✓ Inflectional morpheme
- 3. * Root word
- 4. * Paradigm

Question Number : 7 Question Id : 2307962307 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

While playing, a typically developing young child pretends that sticks are guns; this is an example of

Options:

- 1. * object permanence
- 2. 🗸 assimilation
- 3. * accommodation
- 4. 🏁 animism

Question Number : 8 Question Id : 2307962308 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A therapist reinforcing a desired response only some of the times is called as

Options:

- 1. * fixed-ratio
- 2. 🕷 variable-ratio
- 3. * fixed-interval
- 4. < variable-interval

Question Number : 9 Question Id : 2307962309 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Physical manipulation of the larynx during voice therapy to produce changes in voice quality is https://exams.freshersnow.com/category/entrance-exam-question-papers/

called as

Options :

- 1. V Digital manipulation
- 2. * Inhalation phonation
- 3. * Chewing technique
- 4. * Laryngeal massage

Question Number : 10 Question Id : 2307962310 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Which of the scale of measurements has zero as the starting point?

Options:

- 1. * Nominal
- 2. * Nominal & Ordinal
- 3. < Ratio
- 4. 🏁 Interval & Ratio

Question Number : 11 Question Id : 2307962311 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Ability to check a currently administered measuring instrument against a future outcome is known as

Options :

- 1. * External validity
- 2. V Predictive criterion-related validity
- 3. * Concurrent criterion-related validity
- 4. * Construct validity

Question Number : 12 Question Id : 2307962312 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

What is the benchmark disability as per the Rights of Persons with Disabilities Act 2016 for availing various privileges?

Options :

- 1. 🏁 20%
- 2. * 30%
- 3. ✔ 40%
- 4. ᄣ 50%

Question Number : 13 Question Id : 2307962313 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Data in which the value of what is being measured may take on an unlimited number of intermediate values is referred to as

Options :

- 1. 🗸 Continuous
- 2. * Discrete
- 3. * Qualitative
- 4. * Categorical

Question Number : 14 Question Id : 2307962314 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Damage in the upper motor neuron leads to

Options :

- 1. ***** Spastic paralysis
- 2. * Hyperactive reflexes
- 3. ✓ Spastic paralysis and Hyperactive reflexes
- 4. * Flaccid paralysis and reduced reflexes

Question Number : 15 Question Id : 2307962315 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

What is the single most important modifiable risk factor for stroke?

Options :

- 1. ✓ Hypertension
- 2. 🏼 Age
- 3. 🏁 Gender
- 4. 🏁 Race

Question Number : 16 Question Id : 2307962316 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A person with dysphonia plicae ventricularis produces voice using

Options :

- 1. ***** True cords
- 2. ✓ False cords
- 3. * Ventricle
- 4. × Buccal walls

Question Number : 17 Question Id : 2307962317 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Which layer of true vocal folds is actually a combination of the epithelial lining and the disorganized first primary lamina propria layer?

Options :

- 1. * Transition layer
- 2. 🏶 Intermediate lamina propria
- 3. ✓ Mucosal layer
- 4. 🏶 Superficial lamina propria

Question Number : 18 Question Id : 2307962318 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Adenoids are also known as

Options :

- 1. * Lingual Tonsils
- 2. * Palatine Tonsils
- 3. ✓ Pharyngeal Tonsils
- 4. 🏶 Lingopalatopharyngo Tonsils

Question Number : 19 Question Id : 2307962319 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Which of the following quotient is more advantageous and provides additional descriptive information about the vibratory characteristics of vocal folds?

Options :

- 1. * Open quotient
- 2. ✓ Speed quotient
- 3. 🕷 Leak quotient
- 4. * Contact quotient

Question Number : 20 Question Id : 2307962320 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

In AAC, Bliss symbol is a form of system.

Options :

- 1. ***** Syllabic
- 2. * Phonologic
- 3. * Morphologic

Question Number : 21 Question Id : 2307962321 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Glasgow Coma Scale ranges from

Options :

- 1. 🖋 3-15
- 2. 🍀 3-12
- 3. 🗱 3-9
- 4. 🍀 3-6

Question Number : 22 Question Id : 2307962322 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Mand approach focuses primarily on which of the following skills?

Options :

- 1. * Turn taking
- 2. 🗸 Requesting
- 3. ***** Topic maintenance
- 4. * Reasoning

Question Number : 23 Question Id : 2307962323 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Penumbra is commonly seen in persons with

Options :

- 1. ✓ Ischemic attack
- 2. * Hemorrhage
- 3. * Mild cognitive impairment

4. * Dementia of Alzheimer's type

Question Number : 24 Question Id : 2307962324 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

" The language of confusion", " Non-aphasic language disturbances ", "Cognitive-language disturbances" and " sub-clinical aphasia" are the features seen in persons with

Options:

- 1. 🖋 TBI
- 2. 🍀 RHD
- 3. 🏶 Dementia
- 4. 🏁 Aphasia

Question Number : 25 Question Id : 2307962325 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Context based approach is mostly used in the early management of persons with

Options :

- 1. 🏶 Broca's Aphasia
- 2. < Wernicke's Aphasia
- 3. * Anomic Aphasia
- 4. 🏶 Global Aphasia

Question Number : 26 Question Id : 2307962326 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Identify the odd one from the following:

Options :

- 1. ***** Boston Diagnostic Aphasia Examination
- 2. * Comprehensive Aphasia Test https://exams.freshersnow.com/category/entrance-exam-question-papers/

- 3. Communication Activities of Daily Living
- 4. 🏽 Western Aphasia Battery

Question Number : 27 Question Id : 2307962327 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

In which of the following speech disorders is - a word, a phrase, or a sentence repeated with increasing speech and decreasing intelligibility?

Options :

- 1. < Palilalia
- 2. * Cluttering
- 3. * Spoonerism
- 4. * Agrammatism

Question Number : 28 Question Id : 2307962328 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Which of the following cannot be assessed using Western Aphasia Battery?

Options:

- 1. ***** Repetition
- 2. * Fluency
- 3. 🗸 Agnosia
- 4. 🏽 Content

Question Number : 29 Question Id : 2307962329 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Which of the following is not included in Luria's classification system of Aphasia?

Options :

1. 🎽 Dynamic Aphasia

2. 🗸 Syntactic Aphasia

- 3. * Semantic Aphasia
- 4. 🏶 Afferent motor Aphasia

Question Number : 30 Question Id : 2307962330 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Communication achieved through the assistance of such external devices such as paper and pencil, communication boards, and computers is known as

Options :

- 1. * Unaided communication
- 2. * Nonverbal communication
- 3. ✓ Aided communication
- 4. * Manual communication

Question Number : 31 Question Id : 2307962331 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Which of the following techniques does not come under 'child-centred' approach?

Options :

- 1. ***** Expansions
- 2. * Extensions
- 3. < Modeling
- 4. * Recast sentences

Question Number : 32 Question Id : 2307962332 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Velocardiofacial Syndrome is also known as deletion syndrome.

Options :

- 1. ^{**} 5q32-q33.3
 2. ✓ 22q11.2
 3. ^{**} 11q.32-41
- 4. 🍀 6p-21

Question Number : 33 Question Id : 2307962333 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The lower jaw is small relative to the upper jaw in

Options :

- 1. * Maxillary distraction
- 2. * Maxillary protrusion
- 3. 🗸 Retrognathism
- 4. * Prognathism

Question Number : 34 Question Id : 2307962334 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A child language intervention approach wherein the clinician takes the child's lead in targeting language structures for intervention is known as

Options :

- 1. * Clinician directed approach
- 2. ✓ Child directed approach
- 3. * Parent directed approach
- 4. 🏶 Hybrid approach

Question Number : 35 Question Id : 2307962335 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The horizontal partial laryngectomy is also called as

Options:

- 1. * Nontotal laryngectomy
- 2. ***** Cordecotmy
- 3. 🏶 sub-glottis laryngectomy
- 4. < Supra-glottic laryngectomy

Question Number : 36 Question Id : 2307962336 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Error pattern where velar sound is replaced by an alveolar or dental sound is called as

Options :

- 1. * Stopping
- 2. * Gliding
- 3. ***** Metathesis
- 4. 🗸 Velar fronting

Question Number : 37 Question Id : 2307962337 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A treatment approach that simultaneously contrasts several target sounds with a comparison sound is known as

Options :

- 1. 🏼 Minimal pair
- 2. * Multiple phonemic approach
- 3. ✓ Multiple opposition
- 4. ***** Cycles approach

Question Number : 38 Question Id : 2307962338 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Acquisition of contrastive words will be more than contrastive phones in stage

Options :

- 1. ✓ pre-systemic
- 2. * post-systemic
- 3. * pre-linguistic
- 4. * para-linguistic

Question Number : 39 Question Id : 2307962339 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Two aerodynamic parameters used to define vocal function are

Options :

- 1. * Pitch and loudness
- 2. * Tidal volume and vital capacity
- 3. ✓ Airflow and pressure
- 4. * Phonation quotient and maximum phonation time

Question Number : 40 Question Id : 2307962340 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Generative phonology theory was developed by

Options :

- 1. 🏁 Stampe
- 2. 🏶 Goldsmith
- 3. 🗸 Noam Chomsky
- 4. 🏽 Skinner

Question Number : 41 Question Id : 2307962341 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A behavioral technique of linking elements of a complex skill; similar to shaping; useful in teaching a variety of non-verbal and verbal skills; although most frequently employed in teaching self-help skills is called as

Options :

- 1. 🗸 Chaining
- 2. * Extension
- 3. * Expansion
- 4. * Response elaboration

Question Number : 42 Question Id : 2307962342 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

In a true vegetative yawn, the position of the larynx

Options :

- 1. ᄣ rises
- 2. * remains unmoved
- 3. * moves sideways
- 4. < lowers

Question Number : 43 Question Id : 2307962343 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Which layer of Lamina Propria does sulcus vocalis affect?

Options :

- 1. * Intermediate
- 2. 🏁 Deep
- 3. 🗸 Superficial
- 4. 🏶 Vocal ligament

Question Number : 44 Question Id : 2307962344 Question Type : MCQ Option Shuffling : No Is https://exams.freshersnow.com/category/entrance-exam-question-papers/

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The frequency range for modal register for men is approximately between

Options :

- 1. 🕷 80-120 Hz
- 2. 🛎 90-150 Hz
- 3. 🖋 90-450 Hz
- 4. 🏁 150-520 Hz

Question Number : 45 Question Id : 2307962345 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Insertion of the surgical implant into the small window of thyroid lamina is a characteristic of

Options :

- 1. 🗸 Type I Thyroplasty
- 2. * Type II Thyroplasty
- 3. * Type III Thyroplasty
- 4. 🏶 Type IV Thyroplasty

Question Number : 46 Question Id : 2307962346 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The findings from dichotic listening tests in large majority of persons who stutter (PWS) suggests that

Options :

- 1. * PWS have left ear advantage
- 2. * PWS have right ear advantage
- 3. * PWS have both ear advantage
- 4. V PWS have no right ear advantage

Question Number : 47 Question Id : 2307962347 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Which of the tracks in Van Riper's developmental tracks mimic cluttering?

Options :

- 1. 🛎 Track I
- 2. ✔ Track II
- 3. 🏁 Track III
- 4. ᄣ Track IV

Question Number : 48 Question Id : 2307962348 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Parent-child interaction therapy is based on the principle of

Options :

- 1. ✓ modifying the environment so that it reduces speech disfluencies
- 2. * modifying speech disfluencies directly using contingent-response stimulation
- 3. * Modifying both environment and speech disfluencies directly
- 4. ***** Modifying only the Disfluent utterances

Question Number : 49 Question Id : 2307962349 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

In a person with cluttering, difficulty with word retrieval, frequent use of fillers and interjections as stalling devices, and substitution of semantically related items reflect difficulty in

Options :

- 1. 🗸 Lexical level
- 2. * Grammar and syntax
- 3. * Pragmatic level
- 4. 🏁 Memory

Question Number : 50 Question Id : 2307962350 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Covert Repair Hypothesis is a psycholinguistic theory in which fluency failure is presumed to result from weakness in

Options :

- 1. ✓ Phonological encoding
- 2. * Syntactic encoding
- 3. * Lexical encoding
- 4. * Suprasegmental encoding

Question Number : 51 Question Id : 2307962351 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Which analogy is used to explain the cause and maintenance of stuttering to parents of children who stutter?

Options :

- 1. * Jumping into a swimming pool
- 2. * Touching a hot stove burner
- 3. 🗸 Knife and salt
- 4. 🏶 Blown up balloon

Question Number : 52 Question Id : 2307962352 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A fluctuating muscular weakness, particularly of the bulbar and ocular muscles is the main symptom of

Options :

- 1. 🗸 Myasthenia gravis
- 2. * Polyttps://exams.freshersnow.com/category/entrance-exam-question-papers/

3. * Chorea

4. 🏁 Athetosis

Question Number : 53 Question Id : 2307962353 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

In Wilson's disease, brownish green pigmentation of cornea in the form of a ring due to excess copper deposition is called as ring .

Options :

- 1. 🏼 Signet
- 2. 🏁 Haufmann
- 3. 🏁 St Vitus
- 4. ✓ Keyser-fleischer

Question Number : 54 Question Id : 2307962354 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Spirantization is a process by which

Options :

- 1. ✓ stop becomes fricative
- 2. * lateral becomes nasal
- 3. * fricative becomes affricate
- 4. * vowels become consonants

Question Number : 55 Question Id : 2307962355 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A mismatch between ease of response on a complex voluntary task versus simpler automatic task increases the likelihood that is the correct diagnosis.

Options :

- 1. ✓ Apraxia of speech
- 2. 🏶 Dysarthria
- 3. * Specific Language Impairment
- 4. 🏶 Language Learning Disorder

Question Number : 56 Question Id : 2307962356 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Child language intervention procedures that emphasize natural, functional and conversational communicative contexts for teaching language refers to

Options :

- 1. * Conversational Repair
- 2. 🗸 Enhanced Milieu Teaching
- 3. * Expansion Procedure
- 4. * Focused Stimulation

Question Number : 57 Question Id : 2307962357 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The graphic symbols in Picture Communication Symbols are represented as

Options:

- 1. * White silhouettes on a black background
- 2. ***** Color pictures
- 3. ✓ Simple black and white line drawings with gloss written above them
- 4. * Black silhouettes on a white background

Question Number : 58 Question Id : 2307962358 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

An observable random discharge of the alpha motor neurons resulting in the contraction of the https://exams.freshersnow.com/category/entrance-exam-question-papers/

muscle fibers that produces an observable twitching of the muscle tissue is referred to as

Options:

- 1. ***** Fibrillation
- 2. V Fasciculation
- 3. 🏶 Hypotonia
- 4. * myoclonus

Question Number : 59 Question Id : 2307962359 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The term 'Scanning Speech' describes which type of dysarthria?

Options:

- 1. 🗸 Ataxic
- 2. 🕷 Flaccid
- 3. * Spastic
- 4. ***** Hypokinetic

Question Number : 60 Question Id : 2307962360 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A benign choreiform disorder that occurs during pregnancy and usually disappears after pregnancy is

Options :

- 1. 🏶 Sydenham's chorea
- 2. 🗸 Chorea Gravidarum
- 3. 🕷 Huntington's chorea
- 4. * Meige's Syndrome

Question Number : 61 Question Id : 2307962361 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A child says "car go". It is an example for type of semantic relationship.

Options :

- 1. ✓ Agent + Action
- 2. * Action + Object
- 3. 🏶 Agent + Object
- 4. ***** Action + Location

Question Number : 62 Question Id : 2307962362 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Volume of air exchanged during a single cycle of breathing is called as

Options :

- 1. * Inspiratory reserve volume
- 2. * Expiratory reserve volume
- 3. 🗸 Tidal volume
- 4. * Residual volume.

Question Number : 63 Question Id : 2307962363 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The Bernoulli's effect explains the physiology involved in

Options :

- 1. * Inspiration
- 2. Vocal fold vibration
- 3. * Expiration
- 4. * Resonation

Question Number : 64 Question Id : 2307962364 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The inability to recognize an object using the sense of touch is known as

Options :

- 1. ✓ Astereognosis
- 2. * Anterograde amnesia
- 3. * Anosognosia
- 4. ***** Autotopagnosis

Question Number : 65 Question Id : 2307962365 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Words referring to properties or qualities of things or events such as attributes, states, locations or possessiveness are known as

Options :

- 1. * Cognates
- 2. ***** Bound morphemes
- 3. * Free morphemes
- 4. 🗸 Modifiers

Question Number : 66 Question Id : 2307962366 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

In the standing wave the highest point of amplitude is in the

Options :

- 1. 🕷 Node
- 2. 🗸 Antinode
- 3. * Mesonode
- 4. 🏁 Zero point

Question Number : 67 Question Id : 2307962367 Question Type : MCQ Option Shuffling : No Is https://exams.freshersnow.com/category/entrance-exam-question-papers/

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

In a bilingual child when features of one language interfere with the acquisition of some of the aspects of the other language is known as

Options :

- 1. ***** Additive
- 2. Vegative transfer
- 3. 🏼 L1 additive
- 4. 🕷 L2 subtractive

Question Number : 68 Question Id : 2307962368 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The spectral envelope of the burst for alveolar stops is concentrated at frequency region

Options :

- 1. ✔ high
- 2. 🕷 low
- 3. 🏁 mid
- 4. 🏁 mid-low

Question Number : 69 Question Id : 2307962369 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Slow and irregular Alternating Motion Rate (AMR) is observed in

Options :

- 1. 🏶 Spastic dysarthria
- 2. * Flaccid dysarthria
- 3. < Ataxic dysarthria
- 4. 🏶 Hyperkinetic dysarthria

Question Number : 70 Question Id : 2307962370 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Malocclusion in which maxilla and mandible are in correct alignment, but individual teeth are misaligned, rotated or jumbled is

Options :

- 1. ✓ Neutrocclusion
- 2. * Mesiocclusion
- 3. ***** Distocclusion
- 4. ***** Maxiocclusion

Question Number : 71 Question Id : 2307962371 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

An example of a secondary verbal operant behavior which includes grammar is known as

Options:

- 1. 🏁 Mand
- 2. 🏽 Echoic
- 3. * Intraverbal
- 4. 🗸 Autoclitics

Question Number : 72 Question Id : 2307962372 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A measure of different words a child produces, calculated by counting each different word in the sample is called as

Options :

- 1. * Mean length of utterance
- 2. 🗸 Type-token ratio
- 3. 🏁 pMLU

Question Number : 73 Question Id : 2307962373 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

An example of a clinician directed approach to intervention is known as

Options :

- 1. 🏁 Extension
- 2. ***** Expansion
- 3. 🏽 Recast
- 4. ✔ Drill

Question Number : 74 Question Id : 2307962374 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Left cerebellar brain lesion leads to the incoordination in the

Options :

- 1. * Right side of the body
- 2. ✓ Left side of the body
- 3. * Central axis of the body
- 4. * Lower part of the body

Question Number : 75 Question Id : 2307962375 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Unilateral Lower Motor Neuron damage of the hypoglossal nerve will result in

Options :

- 1. ✓ Ipsilateral paralysis of tongue
- 2. * Contralateral paralysis of tongue
- 3. ***** Loss of tongue sensation https://exams.freshersnow.com/category/entrance-exam-question-papers/

4. ** Loss of mandibular movement

Question Number : 76 Question Id : 2307962376 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A condition with increased resistance to movement is known as

Options :

- 1. ***** Spasticity
- 2. < Rigidity
- 3. 🕷 Ataxic
- 4. 🏁 Athetoid

Question Number : 77 Question Id : 2307962377 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Which type of the variables are manipulated by the experimenter?

Options :

- 1. ✓ Independent variables
- 2. * Dependent variables
- 3. * Intervening variables
- 4. * Moderator variables

Question Number : 78 Question Id : 2307962378 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The type of validity which is judged by how well an instrument compares with a second

assessment done, is referred to as validity.

Options :

- 1. * Predictive
- 2. < Concurrent

3. ***** Construct

4. * Face validity

Question Number : 79 Question Id : 2307962379 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The type of sampling in which samples of a study are selected using networks is called as

Options :

- 1. * Web sampling
- 2. * Mobile sampling
- 3. * Quota sampling
- 4. ✓ Snowball sampling

Question Number : 80 Question Id : 2307962380 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The assessment of the overall long term effects of a given program is referred to as

Options :

- 1. * Process evaluation
- 2. ✓ Impact evaluation
- 3. * Outcome evaluation
- 4. * Product evaluation

Question Number : 81 Question Id : 2307962381 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

In which of the following therapy methods, the clinician joins the child and makes the same error the child makes? The clinician then shows the client a series of transitional sounds each of which comes a bit closer to the standard sound until finally the standard sound is produced.

Options :

- 1. * Phonetic placement
- 2. * Key word method
- 3. </ <p>
 Progressive approximation
- 4. * Auditory stimulation

Question Number : 82 Question Id : 2307962382 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The process in which non-palatal consonants become palatal when followed by a front vowel or glide is known as

Options :

- 1. * Nasalization
- 2. V Palatalization
- 3. * Insertion
- 4. * Stopping

Question Number : 83 Question Id : 2307962383 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A language where each morpheme tends to occur as a word in isolation wherein the words virtually never have inflectional affixes is called as

Options :

- 1. * Agglutinating language
- 2. * Synthetic language
- 3. 🗸 Analytic language
- 4. 🏁 Infixing language

Question Number : 84 Question Id : 2307962384 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The pairs of words such as 'above' and 'below' that describe a single relationship between two items from opposite perspectives are known as

Options :

- 1. * Binary antonyms
- 2. ***** Gradable antonyms
- 3. ✓ Converse antonyms
- 4. ***** Extended antonyms

Question Number : 85 Question Id : 2307962385 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A belief that inanimate objects (such as toys and Teddy Bears) have human feelings and intention is known as

Options :

- 1. < Animism
- 2. ***** Egocentrism
- 3. ***** Conservation
- 4. ***** Seriation

Question Number : 86 Question Id : 2307962386 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Single-subject research uses a repeated-measures design applied to

Options :

- 1. ✓ Individuals rather than to groups
- 2. ***** Groups rather than to individuals
- 3. * Both individuals and groups
- 4. * The whole population

Question Number : 87 Question Id : 2307962387 Question Type : MCQ Option Shuffling : No Is https://exams.freshersnow.com/category/entrance-exam-question-papers/

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The correlation coefficient 'r' lies between

Options :

- 1. ᄣ 0 and 1
- 2. < -1 and +1
- 3. [¥] -∞ and +∞
- 4. [×] 0 and ∞

Question Number : 88 Question Id : 2307962388 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A neurophysiological disorder that results in poor movement of the velopharyngeal structures is referred to as

Options :

- 1. * Velopharyngel insufficiency
- 2. Velopharyngeal incompetency
- 3. * Velopharyngeal mislearning
- 4. ***** Hypernasality

Question Number : 89 Question Id : 2307962389 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

In aphasiology, Revised Token Test is used to assess

Options :

- 1. ***** Repetition
- 2. 🎽 Naming
- 3. * Visual Comprehension
- 4. 🗸 Auditory Comprehension

Question Number : 90 Question Id : 2307962390 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The origin of the posterior cricoarytenoid muscle is from

Options :

- 1. * Lateral surface of the cricoid cartilage
- 2. * Anterior surface of the cricoid cartilage
- 3. * Anterior & posterior surface of the cricoid cartilage
- 4. ✓ Posterior surface of the cricoid cartilage

Question Number : 91 Question Id : 2307962391 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The verbal output of persons with Broca's Aphasia is best described as

Options :

- 1. ✓ Effortful, non-fluent consisting of small phrases or single words
- 2. * Effortful, fluent consisting of small phrases or single word
- 3. * Non-Fluent consisting of long phrases
- 4. * Effortless, Non-fluent consisting of small phrases or single words

Question Number : 92 Question Id : 2307962392 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

In bilingual aphasic individuals, when both languages improve at the same rate and to the same degree, relative to the premorbid levels, it is termed as

Options :

- 1. * differential recovery
- 2. * successive recovery
- 3. * antagonistic recovery
- 4. ✓ parallel recovery

Question Number : 93 Question Id : 2307962393 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Reminiscence Therapy is most widely used in the treatment of persons with

Options :

- 1. 🗸 Dementia
- 2. 🏁 Aphasia
- 3. 🏶 Traumatic Brain Injury
- 4. 🏶 Right Hemisphere Damage

Question Number : 94 Question Id : 2307962394 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Kernahan and Stark (1958) recommended classification of clefts as clefts of primary and secondary palate with the as the dividing point.

Options :

- 1. 🏶 Hard palate
- 2. * Soft palate
- 3. ✓ Incisive foramen
- 4. * Palatal aponeurosis

Question Number : 95 Question Id : 2307962395 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A complete cleft of the lip adversely affects the nose making it appear very wide and flatten due to the separation of muscle.

Options :

- 1. 🛎 Buccinotar
- 2. * Procerus

- 3. ✓ Orbicularis Oris
- 4. 🏁 Nasailis

Question Number : 96 Question Id : 2307962396 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A defect in the velum that can only be appreciated by viewing the surface of the velum through nasopharyngoscopy.

Options :

- 1. 🏁 Labial
- 2. 🏼 Oral
- 3. * Lingual
- 4. < Nasal

Question Number : 97 Question Id : 2307962397 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Manner of articulation refers to

Options :

- 1. * where sound is formed
- 2. ✓ how sound is formed
- 3. * whether the vocal folds are vibrating
- 4. * whether the vocal folds are not vibrating

Question Number : 98 Question Id : 2307962398 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The harmonic values of an F0 of 125 Hz. are

Options :

1. < 250 Hz., 375 Hz,....

- 2. * 250 Hz., 500 Hz.,....
- 3. * 200 Hz., 275 Hz.,....
- 4. * 200 Hz., 400 Hz.,.....

Question Number : 99 Question Id : 2307962399 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The graphical representation of frequency versus intensity is known as

Options :

- 1. * Spectrogram
- 2. 🗸 Spectrum
- 3. * Waveform
- 4. * Cepstrum

Question Number : 100 Question Id : 2307962400 Question Type : MCQ Option Shuffling : No

Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The human genome sequence is almost percentage exactly same in all people.

Options :

- 1. 🛎 50.9%
- 2. 🕷 70.9%
- 3. 🛎 80.9%
- 4. 🖋 99.9%