

All India Institute of Speech and Hearing

Notations :

- 1.Options shown in green color and with ✓ icon are correct.
- 2.Options shown in red color and with ✗ icon are incorrect.

Question Paper Name :	M Sc SLP 13th September 2021 Shift 2
Subject Name :	M.Sc - SLP
Creation Date :	2021-09-13 17:11:53
Duration :	100
Total Marks :	100
Display Marks:	No
Calculator :	None
Magnifying Glass Required? :	No
Ruler Required? :	No
Eraser Required? :	No
Scratch Pad Required? :	No
Rough Sketch/Notepad Required? :	No
Protractor Required? :	No
Show Watermark on Console? :	Yes
Highlighter :	No
Auto Save on Console? (SA type of questions will be always auto saved) :	Yes

M.Sc - SLP

Group Number : 1

Group Id : 21585716

<https://exams.freshersnow.com/category/entrance-exam-question-papers/>

Group Maximum Duration :	0
Group Minimum Duration :	100
Show Attended Group? :	No
Edit Attended Group? :	No
Break time :	0
Group Marks :	100
Is this Group for Examiner? :	No

Part-A

Section Id :	21585746
Section Number :	1
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	20
Number of Questions to be attempted :	20
Section Marks :	20
Enable Mark as Answered Mark for Review and Clear Response :	Yes
Sub-Section Number :	1
Sub-Section Id :	21585746
Question Shuffling Allowed :	Yes

Question Number : 1 Question Id : 2158571661 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

When genes present in a hetrozygote are expressed fully and equally in the phenotype, providing a qualitatively different state rather than a blend of two extremes, then these are called as

Options :

1. ✓ **Codominant allelic gene**

<https://exams.freshersnow.com/category/entrance-exam-question-papers/>

- ✘ Homozygous
- ✘ Agglutinins
- ✘ G6PD deficiencies

Question Number : 2 Question Id : 2158571662 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

“There is high positive relationship between two variables”, is example for type of hypothesis.

Options :

- ✘ Null Hypothesis
- ✘ Working Hypothesis
- ✔ Directional Hypothesis
- ✘ Simple Hypothesis

Question Number : 3 Question Id : 2158571663 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Research in which a retrospective search of the cause of event is made without an independent variable is

Options :

- ✘ Normative research
- ✘ Systematic reviews
- ✘ Meta-analysis
- ✔ Ex post facto research

Question Number : 4 Question Id : 2158571664 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Rate of attrition in research will affect the

Options :

<https://exams.freshersnow.com/category/entrance-exam-question-papers/>

1. ✓ Internal validity
2. ✗ Reliability
3. ✗ Generality
4. ✗ External validity

Question Number : 5 Question Id : 2158571665 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The stability of the values that are obtained with a given measure, influence the of a research

Options :

1. ✗ Validity
2. ✓ Reliability
3. ✗ Sensitivity
4. ✗ Specificity

Question Number : 6 Question Id : 2158571666 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Acting unopposed, the will shape the glottis for the production of a whisper.

Options :

1. ✗ Cricothyroid
2. ✗ Thyrovocalis
3. ✗ Posterior cricoarytenoid
4. ✓ Lateral cricoarytenoid

Question Number : 7 Question Id : 2158571667 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The ability to be focused on one topic in communication is known as

Options :

<https://exams.freshersnow.com/category/entrance-exam-question-papers/>

1. ✘ Diectic
2. ✔ Monotropism
3. ✘ Bilingualism
4. ✘ Monolingualism

Question Number : 8 Question Id : 2158571668 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

'SOAP notes' are recommended to be included in

Options :

1. ✘ Screening report
2. ✔ Treatment report
3. ✘ Counseling report
4. ✘ Discharge report

Question Number : 9 Question Id : 2158571669 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Action taken to prevent the progress of the disease at its inception stage and preventing its complication is referred to as

Options :

1. ✔ Primary prevention
2. ✘ Secondary prevention
3. ✘ Tertiary prevention
4. ✘ Quaternary prevention

Question Number : 10 Question Id : 2158571670 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

According to Brown's stages of language development, stage II includes MLU in the range of
<https://exams.freshersnow.com/category/entrance-exam-question-papers/>

Options :

1. ✘ 1.01 - 1.49
2. ✘ 1.50 - 1.99
3. ✘ 3.00 - 3.49
4. ✔ 2.00 - 2.49

Question Number : 11 Question Id : 2158571671 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Which among the following test is used to assess speech disability as stated in the Rights of Persons with Disabilities Act 2016?

Options :

1. ✘ Voice Handicap Index
2. ✔ Consensus on Auditory Perceptual Evaluation of Voice
3. ✘ Buffalo Voice Profile
4. ✘ Voice Handicap Index-10

Question Number : 12 Question Id : 2158571672 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The muscle is responsible for the opening of the vocal folds.

Options :

1. ✔ Posterior cricoarytenoid
2. ✘ Lateral cricoarytenoid
3. ✘ Cricothyroid
4. ✘ Thyroarytenoid

Question Number : 13 Question Id : 2158571673 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The Boyle's law explains

Options :

1. ✓ Relationship between volume and pressure
2. ✗ Relationship between air and pressure
3. ✗ Relationship between fluid and pressure
4. ✗ Relationship between space and pressure

Question Number : 14 Question Id : 2158571674 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Estimating the number of persons who reported having voice problems as part of a community survey is a measure of

Options :

1. ✗ Incidence
2. ✓ Prevalence
3. ✗ Proportion
4. ✗ Ratio

Question Number : 15 Question Id : 2158571675 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A quasi experimental design lacks which of the following?

Options :

1. ✗ Control group
2. ✓ Randomization
3. ✗ Manipulation of Independent variable
4. ✗ Dependent variable

Question Number : 16 Question Id : 2158571676 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

<https://exams.freshersnow.com/category/entrance-exam-question-papers/>

Correct Marks : 1 Wrong Marks : 0.25

Administering two different versions of the same test to the same group of participants is a measure of

Options :

1. ✘ Test-retest reliability
2. ✘ Interrater reliability
3. ✔ Parallel forms reliability
4. ✘ Split-half reliability

Question Number : 17 Question Id : 2158571677 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A scale of measurement in which numbers does not have arithmetic value is known as

Options :

1. ✔ Nominal scale
2. ✘ Quantitative scale
3. ✘ Ratio scale
4. ✘ Interval scale

Question Number : 18 Question Id : 2158571678 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The range of the middle two quartiles, in a positively skewed distribution is known as

Options :

1. ✘ Standard deviation
2. ✘ Mean
3. ✔ Interquartile range
4. ✘ Median

Question Number : 19 Question Id : 2158571679 Question Type : MCQ Option Shuffling : No Is
<https://exams.freshersnow.com/category/entrance-exam-question-papers/>

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A recorded rate of responses in the absence of planned intervention is known as

Options :

1. ✓ Baseline
2. ✗ Survey
3. ✗ Measure
4. ✗ Prognosis

Question Number : 20 Question Id : 2158571680 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The resonating system in speech production is

Options :

1. ✗ Vocal folds
2. ✗ Articulators
3. ✗ Lips
4. ✓ Vocal tract

Part-B

Section Id :	21585747
Section Number :	2
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	10
Number of Questions to be attempted :	10
Section Marks :	10
Enable Mark as Answered Mark for Review and Clear Response :	Yes

Sub-Section Number : 1
Sub-Section Id : 21585747
Question Shuffling Allowed : Yes

Question Number : 21 Question Id : 2158571681 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

An automobile horn emits a tone with a frequency of 440 Hz. What is the apparent frequency when automobile approaches an observer at 25m/s.

Options :

1. ✘ 475 kHz
2. ✘ 415 kHz
3. ✘ 415 Hz
4. ✔ 475 Hz

Question Number : 22 Question Id : 2158571682 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A microphone has sensitivity as 1.2mV/Pa and an output impedance of 200Ω. What is the open circuit voltage sensitivity of dBV?

Options :

1. ✘ 58 dBV
2. ✘ 60 dBV
3. ✔ -58 dBV
4. ✘ -60 dBV

Question Number : 23 Question Id : 2158571683 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The meaning of one form is included in the meaning of another; and the concept of 'inclusion' involved in this relationship is the idea that if an object is a 'rose' then it is necessarily a 'flower', so

the meaning of 'flower' is included in the meaning of 'rose'. The relationship is termed as

Options :

1. ✘ **Synonymy**
2. ✔ **Hyponymy**
3. ✘ **Antonymy**
4. ✘ **Homonymy**

Question Number : 24 Question Id : 2158571684 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The essential difference between social learning and associative learning theories is that social learning includes

Options :

1. ✘ **Attention factors**
2. ✔ **Cognitive factors**
3. ✘ **Motivation factors**
4. ✘ **Reproduction factors**

Question Number : 25 Question Id : 2158571685 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Timeout is based on the principle of

Options :

1. ✘ **Positive reinforcement**
2. ✘ **Negative reinforcement**
3. ✘ **Positive punishment**
4. ✔ **Negative punishment**

Question Number : 26 Question Id : 2158571686 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

<https://exams.freshersnow.com/category/entrance-exam-question-papers/>

Correct Marks : 1 Wrong Marks : 0.25

The motion of the arytenoids produces an upward and outward swinging motion of the vocal processes during abduction and an inward and downward swinging motion when the vocal processes are adducted.

Options :

1. ✘ Rotation
2. ✘ Gliding
3. ✘ Sliding
4. ✔ Rocking

Question Number : 27 Question Id : 2158571687 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

“Anastomoses” between the anterior, middle, and posterior cerebral arteries that together form a circle at the base of the brain is known as

Options :

1. ✘ Posterior communicating artery
2. ✔ Circle of Willis
3. ✘ Anterior communicating artery
4. ✘ Degeneration of nerve cell

Question Number : 28 Question Id : 2158571688 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The Brodmann area number of angular gyrus is

Options :

1. ✘ 4
2. ✘ 18
3. ✘ 37
4. ✔ 39

Question Number : 29 Question Id : 2158571689 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

All of the following are laryngeal depressors, except

Options :

1. ✘ Omohyoid
2. ✘ Sternohyoid
3. ✘ Sternothyroid
4. ✔ Geniohyoid

Question Number : 30 Question Id : 2158571690 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Language form includes

Options :

1. ✔ Phonology, morphology and syntax
2. ✘ Phonology and syntax
3. ✘ Phonology and morphology
4. ✘ Only syntax

Part-C

Section Id :	21585748
Section Number :	3
Section type :	Online
Mandatory or Optional :	Mandatory
Number of Questions :	70
Number of Questions to be attempted :	70
Section Marks :	70

Enable Mark as Answered Mark for Review and

Yes

Clear Response :

Sub-Section Number :

1

Sub-Section Id :

21585748

Question Shuffling Allowed :

Yes

Question Number : 31 Question Id : 2158571691 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Match an item in List – I with an item in List – II. Use code given below :

List – I

List – II

(a) Turner's syndrome

(i) (47, XXY)

(b) Down's syndrome

(ii) (45, X)

(c) Klinefelter's syndrome

(iii) Trisomy – 21

Options :

1. ✘ a-i, b-ii, c-iii

2. ✘ a-iii, b-ii, c-i

3. ✔ a-ii, b-iii, c-i

4. ✘ a-i, b-iii, c-ii

Question Number : 32 Question Id : 2158571692 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

According to Daniel Jones' Cardinal vowel system, there are four classifications of vertical tongue positions used in this system. From the given pairs of vowels, identify the half-close primary cardinal vowels' pair.

Options :

1. ✘ [i, u]

2. ✔ [e, o]

3. ✘ [ɛ, ɔ]

4. ✘ [a, p]

Question Number : 33 Question Id : 2158571693 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Cephalocaudal law indicates the of development process.

Options :

1. ✔ Direction

2. ✘ Speed

3. ✘ Quality

4. ✘ Quantity

Question Number : 34 Question Id : 2158571694 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The cardinal features of Parkinsonism includes

Options :

1. ✘ Tremor and Rigidity

2. ✘ Rigidity and bradykinesia

3. ✘ Tremor and bradykinesia

4. ✔ Tremor, rigidity and bradykinesia

Question Number : 35 Question Id : 2158571695 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The blink reflex is usually normal in

Options :

1. ✔ Idiopathic trigeminal neuralgia

2. ✘ Bells palsy

3. ✘ Facial palsy

4. ✘ Hemianopsia

Question Number : 36 Question Id : 2158571696 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Removal of the adenoids in children with short or hypertrophied soft palate may result in persistent

Options :

1. ✘ Hyponasality
2. ✘ Denasality
3. ✘ Cul de sac resonance
4. ✔ Hypernasality

Question Number : 37 Question Id : 2158571697 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

It is largely known that the specific cause of Specific Language Impairment is

Options :

1. ✘ Lack of speech stimulation
2. ✘ Family schisms
3. ✔ Genetic
4. ✘ Intellectual disability

Question Number : 38 Question Id : 2158571698 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Strategies that encourage restoration of functioning in a manner compatible with normal language processing are called

Options :

1. ✔ Restitutive treatments

2. ✘ Substitutive treatments
3. ✘ Generalizations
4. ✘ Object recognitions

Question Number : 39 Question Id : 2158571699 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The swallow maneuver which helps elevate the larynx more and for longer duration, resulting in an increased width and duration of the cricopharyngeal opening is referred to as

Options :

1. ✘ Super-supra Glottic Swallow
2. ✘ Barium-Swallow
3. ✘ Supra Glottic Swallow
4. ✔ Mendelsohn Maneuver

Question Number : 40 Question Id : 2158571700 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Calculate the Aphasic Quotient for a person with Aphasia who obtains a score of 12 (Spontaneous speech), 106 (Auditory verbal comprehension), 96 (Repetition) and 74 (Naming).

Options :

1. ✔ 68.6
2. ✘ 34.3
3. ✘ 39.6
4. ✘ 79.2

Question Number : 41 Question Id : 2158571701 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Which of the following is a classical example of disconnection syndrome?

<https://exams.freshersnow.com/category/entrance-exam-question-papers/>

Options :

1. ✘ Alexia with Agraphia
2. ✔ Conduction Aphasia
3. ✘ Subcortical Aphasia
4. ✘ Transcortical Aphasia

Question Number : 42 Question Id : 2158571702 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Inhalation phonation is a technique of voice therapy designed to evoke true vocal fold vibrations in persons who exhibit

Options :

1. ✔ Ventricular Phonation
2. ✘ Hard Glottal Attack
3. ✘ High Pitch
4. ✘ Breathy Voice

Question Number : 43 Question Id : 2158571703 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The term 'Aphasia' was coined by

Options :

1. ✘ Paul Broca
2. ✘ Carl Wernicke
3. ✘ Lichtheim
4. ✔ Trousseau

Question Number : 44 Question Id : 2158571704 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

In which of the following conditions, apart from general intellectual disability, a unique profile of cognitive strengths and weaknesses are noticed in

Options :

1. ✘ Down's syndrome
2. ✔ Williams syndrome
3. ✘ Fragile X syndrome
4. ✘ Retts syndrome

Question Number : 45 Question Id : 2158571705 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Nasal emission due to VPI usually occurs on

Options :

1. ✔ All pressure sensitive consonants
2. ✘ Nasal consonants
3. ✘ Mid dorsum palatal stops
4. ✘ Velars consonants

Question Number : 46 Question Id : 2158571706 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Which of the following does not help in velopharyngeal valving for speech in individuals with Cleft Palate?

Options :

1. ✔ oral motor exercises
2. ✘ Continuous positive airway pressure
3. ✘ auditory feedback
4. ✘ visual feedback

Question Number : 47 Question Id : 2158571707 Question Type : MCQ Option Shuffling : No Is

<https://exams.freshersnow.com/category/entrance-exam-question-papers/>

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

When the acoustic energy enters the cavity of the vocal tract, but is blocked from exiting at the cavity in normal outlet, it results in

Options :

1. ✘ Whispered speech
2. ✔ Nasal cul de sac resonance
3. ✘ Hypernasality
4. ✘ Hyponasality

Question Number : 48 Question Id : 2158571708 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Home position in FEES refers to which of the following views?

Options :

1. ✔ Points just above the epiglottis
2. ✘ Points to the passavants ridge
3. ✘ Points to the Lateral pharyngeal walls
4. ✘ Points to the velum

Question Number : 49 Question Id : 2158571709 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Metaphon therapy was initially proposed by

Options :

1. ✘ Mc Reynolds and Bennet
2. ✔ Howell and Dean
3. ✘ Van Riper
4. ✘ Williams

Question Number : 50 Question Id : 2158571710 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The term intervocalic position refers to

Options :

1. ✘ Consonants precedes a vowel
2. ✔ Consonant embedded between two vowels
3. ✘ Consonants that follows a vowel
4. ✘ Vowel embedded in between two consonants

Question Number : 51 Question Id : 2158571711 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

What is the type of the phonological process, when the child says /pik/ for /pig/?

Options :

1. ✘ Post vocalic voicing
2. ✘ Post vocalic only voicing
3. ✔ Post vocalic devoicing
4. ✘ Post vocalic obstruent

Question Number : 52 Question Id : 2158571712 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

One of the non-phonological awareness element is

Options :

1. ✘ Phoneme isolation
2. ✘ Alliteration
3. ✔ Iteration
4. ✘ Rhyming

Question Number : 53 Question Id : 2158571713 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Vowel /u/ is

Options :

1. ✘ Low Back vowel
2. ✔ High Back Vowel
3. ✘ Front Low Vowel
4. ✘ High Front Vowel

Question Number : 54 Question Id : 2158571714 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Which of the following is not a physiological change associated with aging voice?

Options :

1. ✘ Greater Open Quotient
2. ✔ Reduced Open Quotient
3. ✘ Reduced Vital Capacity
4. ✘ Greater airflow rate

Question Number : 55 Question Id : 2158571715 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Which of the following self-rated instruments comprises of 10 questions, across 3 domains namely socio-emotional, physical and general?

Options :

1. ✘ Voice Handicap Index
2. ✔ Voice Related Quality of Life
3. ✘ Voice Handicap Index -10
4. ✘ Voice Outcome Survey

Question Number : 56 Question Id : 2158571716 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Quotient of peak intraoral pressure divided by the peak flow rate gives

Options :

1. ✓ Laryngeal resistance
2. ✗ Laryngeal Conductance
3. ✗ Vocal efficiency
4. ✗ Phonation threshold pressure

Question Number : 57 Question Id : 2158571717 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The current version of stuttering severity instrument (SSI-4) assesses frequency of disfluencies with

Options :

1. ✓ Syllables
2. ✗ Words
3. ✗ Phrases
4. ✗ Sentences

Question Number : 58 Question Id : 2158571718 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

In cluttering, the etiology is probably neurological, possibly related to dysfunction in the

Options :

1. ✓ Basal Ganglia
2. ✗ Pre-frontal cortex
3. ✗ Thalamus

4. ✖ Limbic cortex

Question Number : 59 Question Id : 2158571719 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The three classes of neurological disorders that are most commonly associated with Acquired Neurogenic Stuttering are

Options :

1. ✖ Stroke, head injury, seizure disorder
2. ✖ Stroke, head injury, tumor
3. ✖ Stroke, head injury, chronic pain
4. ✔ Stroke, head injury, neuro-degenerative disease

Question Number : 60 Question Id : 2158571720 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Which among the following is a stuttering like dysfluency?

Options :

1. ✖ Phrase repetition
2. ✖ Multi-syllabic whole word repetition
3. ✖ Interjections
4. ✔ Part word repetitions

Question Number : 61 Question Id : 2158571721 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A complete assessment of a child with stuttering includes an evaluation of motor, auditory and abilities.

Options :

1. ✖ Visual

2. ✓ Language

3. ✗ Olfactory

4. ✗ Tactile

Question Number : 62 Question Id : 2158571722 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Which of the following is seen in Parkinson's disease?

Options :

1. ✗ Action tremor

2. ✓ Pill rolling movement

3. ✗ Motor tics

4. ✗ Rheumatism

Question Number : 63 Question Id : 2158571723 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Vocal intensity reflects the..... in the voice.

Options :

1. ✓ Acoustic power

2. ✗ Sampling frequency

3. ✗ Jitter

4. ✗ Shimmer

Question Number : 64 Question Id : 2158571724 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A type of Apraxia characterized by correctness of individual elements of a complex act without accomplishing the desired objective is known as

Options :

<https://exams.freshersnow.com/category/entrance-exam-question-papers/>

1. ✘ Ideomotor apraxia
2. ✘ Dissociation apraxia
3. ✘ Callosal apraxia
4. ✔ Ideational apraxia

Question Number : 65 Question Id : 2158571725 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The behaviors that contribute to laryngeal injury, inflammation and other forms of damage are defined as

Options :

1. ✘ Vocal nodule
2. ✔ Phonotrauma
3. ✘ Vocal cyst
4. ✘ Vocal polyp

Question Number : 66 Question Id : 2158571726 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The speed and regularity of reciprocal articulatory movements of the jaw, lips and tongue is reflected by

Options :

1. ✘ Vowel prolongation task
2. ✔ Alternating Motion Rate
3. ✘ Sequential Motion Rate
4. ✘ Imitative speech task

Question Number : 67 Question Id : 2158571727 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The cranial nerve that is both sensory and motoric in nature is

Options :

1. ✘ Cranial nerve I
2. ✔ Cranial nerve V
3. ✘ Cranial nerve XI
4. ✘ Cranial nerve VIII

Question Number : 68 Question Id : 2158571728 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

An observable random discharge of the alpha motor neurons resulting in the contraction of the muscle fibers that produces an observable twitching of the muscle tissue is referred to as

Options :

1. ✘ Fibrillation
2. ✔ Fasciculation
3. ✘ Hypotonia
4. ✘ Myoclonus

Question Number : 69 Question Id : 2158571729 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The Lee Silverman Voice Treatment used in the management of Parkinson's disease is an example of

Options :

1. ✘ Restoration strategies
2. ✔ Compensatory strategies
3. ✘ Restoration strategies and Compensatory strategies
4. ✘ Remediation strategies

Question Number : 70 Question Id : 2158571730 Question Type : MCQ Option Shuffling : No Is

<https://exams.freshersnow.com/category/entrance-exam-question-papers/>

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Which of the following Aphasia treatment programme uses musical intonation, continuous voicing and rhythmic tapping to improve verbal expression in persons with aphasia?

Options :

1. ✘ Visual Action Therapy
2. ✘ Treatment for Wernickes Aphasia
3. ✘ Promoting Aphasics Communicative Effectiveness
4. ✔ Melodic Intonation Therapy

Question Number : 71 Question Id : 2158571731 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

An abnormal vertical space between the anterior maxillary and mandibular teeth that often allows the tongue tip to be seen when a person smiles, is known as

Options :

1. ✔ Open bite
2. ✘ Over bite
3. ✘ Deep bite
4. ✘ Cross bite

Question Number : 72 Question Id : 2158571732 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The frequency with which a sound or sound sequence occurs in the language is referred to as

Options :

1. ✘ Phenemic probability
2. ✔ Phonotactic probability
3. ✘ Phonologic probability
4. ✘ Phonetic probability

Question Number : 73 Question Id : 2158571733 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Someone becomes bilingual by living in a bilingual environment is called as

Options :

1. ✓ Circumstantial bilingual
2. ✗ Simultaneous bilingual
3. ✗ Sequential bilingual
4. ✗ Elective bilingual

Question Number : 74 Question Id : 2158571734 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Reading disorders without writing problems associated with brain injury are known as

Options :

1. ✗ Pure agraphia
2. ✗ Pure word deafness
3. ✓ Pure alexia
4. ✗ Alexia with agraphia

Question Number : 75 Question Id : 2158571735 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The thoracic and abdominal movements caused by respiration can be measured by

Options :

1. ✗ Continuous Positive Airway Pressure
2. ✗ Electroglotto-graph
3. ✓ Pneumo-tachograph
4. ✗ Videofluoro-scropy

Question Number : 76 Question Id : 2158571736 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Visual Action Therapy can be used in the treatment of persons with

Options :

1. ✘ Anomic Aphasia
2. ✘ Brocas Aphasia
3. ✔ Global Aphasia
4. ✘ Conduction Aphasia

Question Number : 77 Question Id : 2158571737 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The assessment which includes a test-teach-retest format to assess improvement in deficient skills is in nature

Options :

1. ✔ Dynamic
2. ✘ Portfolio
3. ✘ Authentic
4. ✘ Traditional

Question Number : 78 Question Id : 2158571738 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The nasality which occurs when the oral sounds surrounding nasal sounds become nasalized is known as

Options :

1. ✘ Hypernasality
2. ✘ Hyponasality

3. ✓ Assimilation nasality

4. ✗ Cul de sac nasality

Question Number : 79 Question Id : 2158571739 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

When 'sun' is produced as 'tun' the process is referred to as

Options :

1. ✗ Assimilation

2. ✗ Palatal fronting

3. ✓ Stopping

4. ✗ Backing

Question Number : 80 Question Id : 2158571740 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A specific kind of tremor that occurs due to cerebellar lesion observed as 'Wing-Beating' characteristic is seen in persons with

Options :

1. ✗ Multiple Sclerosis

2. ✗ Amyotrophic Lateral Sclerosis

3. ✓ Wilsons disease

4. ✗ Shy-Drager Syndrome

Question Number : 81 Question Id : 2158571741 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A rare autoimmune condition which is potentially reversible in many cases causing a temporary whole body paralysis is known as

Options :

<https://exams.freshersnow.com/category/entrance-exam-question-papers/>

1. ✘ Shy Drager syndrome
2. ✘ Progressive supranuclear palsy
3. ✔ Guillain-Barre syndrome
4. ✘ Moebius syndrome

Question Number : 82 Question Id : 2158571742 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

An oral reflex that is elicited by tapping the philtrum of the nose is referred to as

Options :

1. ✘ Tongue thrust reflex
2. ✘ Tonic bite reflex
3. ✔ Snout reflex
4. ✘ Rooting reflex

Question Number : 83 Question Id : 2158571743 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Unintended substitution of one word for another word such as sister for brother, cow for dog, often occurring both in speaking and writing is known as

Options :

1. ✘ Neologism
2. ✘ Phonemic paraphasia
3. ✔ Semantic paraphasia
4. ✘ Literal paraphasia

Question Number : 84 Question Id : 2158571744 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

When the child is unable to imitate a target sound, the clinician typically begins to cue or instruct

<https://exams.freshersnow.com/category/entrance-exam-question-papers/>

the child regarding where to place articulators to produce a particular sound. This type of instruction is called as

Options :

1. ✘ Metaphon therapy
2. ✔ Phonetic placement
3. ✘ Progressive approximation
4. ✘ Minimal pair contrast

Question Number : 85 Question Id : 2158571745 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Example of non-phonemic speech sound production is

Options :

1. ✘ Canonical
2. ✔ Vovoid
3. ✘ Pseudo word
4. ✘ Proto word

Question Number : 86 Question Id : 2158571746 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

In the English word 'children', a possible analysis is into root 'child' and plural suffix '-en'; the residual element /r/ left by this analysis is then seen as a/an

Options :

1. ✔ Empty morph
2. ✘ Zero morph
3. ✘ Allomorph
4. ✘ Portmanteau morph

Question Number : 87 Question Id : 2158571747 Question Type : MCQ Option Shuffling : No Is

<https://exams.freshersnow.com/category/entrance-exam-question-papers/>

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Gentle Phonatory Onset is a technique used in the management of which of the following disorders?

Options :

1. ✘ Vocal nodule
2. ✔ Stuttering
3. ✘ Cluttering
4. ✘ Aphasia

Question Number : 88 Question Id : 2158571748 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

The purpose of functional analysis is to identify antecedent and of behaviour.

Options :

1. ✘ Sequence
2. ✘ Functions
3. ✘ Types
4. ✔ Consequence

Question Number : 89 Question Id : 2158571749 Question Type : MCQ Option Shuffling : No Is

Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A lesion in the Basal ganglia may lead to what type of dysarthria?

Options :

1. ✘ Ataxic
2. ✘ Mixed
3. ✘ Flaccid
4. ✔ Hypokinetic

Question Number : 90 Question Id : 2158571750 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A type of non-fluent Aphasia characterized by agrammatic, paraphasic, and telegraphic speech with intact repetition skills is

Options :

1. ✓ Transcortical Motor Aphasia
2. ✗ Brocas Aphasia
3. ✗ Transcortical Sensory Aphasia
4. ✗ Isolation Aphasia

Question Number : 91 Question Id : 2158571751 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Successive approximation is also known as

Options :

1. ✓ Shaping
2. ✗ Modeling
3. ✗ Expansion
4. ✗ Extension

Question Number : 92 Question Id : 2158571752 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

In which of the following conditions, orientation difficulties are commonly observed?

Options :

1. ✗ Stuttering
2. ✗ Voice Disorders
3. ✓ Traumatic Brain Injury
4. ✗ Specific Language Impairment

Question Number : 93 Question Id : 2158571753 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Which of the following is not assessed in Glasgow Coma Scale?

Options :

1. ✘ Eye Opening
2. ✘ Motor Response
3. ✘ Verbal Response
4. ✔ Asymmetrical Tonic Neck Reflex

Question Number : 94 Question Id : 2158571754 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

A type of stroke, in which rupturing of blood vessels within the intra-cranium occurs is

Options :

1. ✘ Ischemic
2. ✔ Hemorrhagic
3. ✘ Transient Ischemic
4. ✘ Neurological Reversible Ischemic Disorder

Question Number : 95 Question Id : 2158571755 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Neurofibrillary tangles are seen in persons with

Options :

1. ✔ Dementia of Alzheimer type
2. ✘ Vascular dementia
3. ✘ Fronto-temporal dementia
4. ✘ Mild cognitive impairment

Question Number : 96 Question Id : 2158571756 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

If the resistance of Pharyngo-esophageal segment to dilation is , it will be difficult for the patient to produce good esophageal speech.

Options :

1. ✓ High
2. ✗ Low
3. ✗ Lax
4. ✗ Saggy

Question Number : 97 Question Id : 2158571757 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Articulation of can be described largely with respect to the actions of tongue and lips.

Options :

1. ✗ Glottal
2. ✓ Vowels
3. ✗ Pharyngeal
4. ✗ Nasals

Question Number : 98 Question Id : 2158571758 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Glides are also called as

Options :

1. ✓ Semivowels
2. ✗ Diphthongs
3. ✗ Monothongs

4. ✖ Liquids

Question Number : 99 Question Id : 2158571759 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Approximate formant frequencies of vowel /i/ in the word 'speech' are

Options :

1. ✔ 300 Hz and 2000 Hz
2. ✖ 700 Hz and 1200 Hz
3. ✖ 1000 Hz and 2000 Hz
4. ✖ 300 Hz and 900 Hz

Question Number : 100 Question Id : 2158571760 Question Type : MCQ Option Shuffling : No Is Question Mandatory : No

Correct Marks : 1 Wrong Marks : 0.25

Lip rounding in the word 'construe' is an example for coarticulation.

Options :

1. ✖ Carryover
2. ✔ Anticipatory
3. ✖ Left to Right
4. ✖ Retentive